

# JEKYLL

## NÉ POUR L'ENDURO

Le cadre super-léger, la conduite super-précise et la réactivité apportée par la technologie "dual mode" du Jekyll, sont faits pour le monde imprévisible des courses d'enduro. Passez en un clin d'œil d'un petit débattement pour grimper à un gros débattement pour attaquer les descentes. Petit pour les plats, gros pour les passages difficiles. Gros pour sauter, petit pour mettre la puissance. Peu importe ce que la course met devant vos roues, l'amortisseur "dual mode" du Jekyll et sa réactivité vous donnent l'avantage dont vous avez besoin pour gagner.



## JEKYLL EST:

- » Un adepte des montées et des descentes agressives.
- » Les performances d'un vélo deux-en-un auquel aucun autre VTT ne peut se comparer."
- » La machine d'enduro race par excellence.

## PROFIL DE L'UTILISATEUR

Enduro compétition, All-mountain agressif, qui veut grimper vite et descendre encore plus vite, quelque soit le type de terrain que la montagne ait à offrir.

### 1 DÉBATTEMENT

Débattement arrière ajustable 'depuis le cintre' de 95mm à 160mm. 160mm à l'avant.

### 2 ENDURO GEOMETRY

Son tube de selle plus fermé et son tube supérieur allongé positionne le rider au-dessus des pédales et sur l'avant du vélo dans les montées techniques. L'angle de direction plus ouvert, le triangle avant allongé et une potence en 50mm de longueur améliore sa stabilité à haute vitesse.

### 3 SUPERMAX

La toute nouvelle fourche SuperMax en 160mm avec déport de 50mm porte à un niveau supérieur de précision de direction et de contrôle la toute nouvelle plateforme du Jekyll. La cartouche Enduro offre une compression haute-vitesse progressive sur les plus gros obstacles et une rapidité de rebond inégalée.

### 4 DYAD RT2

La technologie d'amortisseur 2-en-1, revu pour 2015 avec un tout nouvel amortisseur spécifique au Jekyll. Avec plus de débattement, une plage d'ajustement du rebond plus étendue et une compression plus progressive en mode FLOW pour filtrer les obstacles rencontrés à moyenne et haute vitesse, les compressions en virage.

### 5 GÉOMÉTRIE AJUSTABLE

Passez d'un mode d'amortisseur à l'autre sur le DYAD et la géométrie du vélo change en même temps. Plus haute et plus agile en mode Elevate, plus basse et plus stable en mode Flow.

### 6 ROUES 27.5"

La taille de roue légèrement plus grande réunit le meilleur des deux mondes, pour des accélérations plus rapides, un comportement plus vif et une meilleure absorption du terrain.

### 7 SYSTÈME ECS-TC

Les axes traversants surdimensionnés de 15 mm fixés de chaque côté de la biellette et du bras oscillant, ainsi que les roulements doublés au niveau des pattes arrière, éliminent la flexion et offrent une rigidité centrale inégalée pour un contrôle parfait.

### 8 CARBONE BALLISTEC / ALLIAGE D'ALUMINIUM SMARTFORMED

Utilisant des fibres de carbone ultra-robustes développées par l'armée pour le blindage, ce procédé de construction permet de créer un cadre plus léger qu'un cadre aluminium, et plus rigide qu'un cadre acier de même poids. Les versions en alliage bénéficient de notre procédé de construction en aluminium SmartFormed, pour un cadre à la fois léger et robuste.

## TAILLES

S, M, L, XL



C21116M

## JEKYLL CARBON 1



🏆 Berzerker Green w/ Jet Black, Gloss - GRN

🔺 <b>FRAME</b>	Jekyll 27.5, 160/95mm, BallisTec Hi-MOD Carbon, BB30, ISCG03, 1.5 Si headtube
🏹 <b>FORK</b>	SuperMax Carbon 2.0, 160mm, PBR Isolated Damper Technology with Enduro+ tune and updated controls, 50mm offset
🛞 <b>REAR SHOCK</b>	Fox DYAD RT2, Dual Travel/Dual Geometry 160/95mm adj. travel
🔵 <b>RIMS</b>	Mavic CrossMax XL PRO LTD Wheel Tire System 27.5"
🔩 <b>HUBS</b>	CrossMax XL, Lefty front, 142x12mm rear
🌟 <b>SPOKES</b>	CrossMax XL, Zicral alloy
🛞 <b>TIRES</b>	Mavic CrossMax Charge SSC 2.4"/Quest SSC 2.35" 27.5"WTS
🚲 <b>PEDALS</b>	N/A
🔩 <b>CRANK</b>	Cannondale HollowGram Si, hollow forged, BB30, 30t SpideRing
🔩 <b>CRANK OPTION</b>	N/A
🔩 <b>BOTTOM BRACKET</b>	Cannondale BB30
🔩 <b>CHAIN</b>	SRAM PCX1, 11-speed
🔩 <b>REAR COGS</b>	SRAM XG-1180, 10-42, 11-speed
🔩 <b>FRONT DERAILLEUR</b>	N/A

🔩 <b>REAR DERAILLEUR</b>	SRAM XX1
🔩 <b>SHIFTERS</b>	SRAM X01, 11-speed
🏹 <b>HANDLEBAR</b>	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 780x15mm
🔩 <b>GRIPS</b>	Cannondale Dual Locking Grips
🔩 <b>STEM</b>	FSA Gravity Light, 1.5", 31.8, 5 deg.
🔩 <b>HEADSET</b>	Cannondale HeadShok Si
🔩 <b>BRAKES</b>	SRAM Guide RSC w/ metallic pads, Centerline rotors 180/180mm
🔩 <b>BRAKE LEVERS</b>	SRAM Guide RSC w/ contact point adjust, cartridge bearing, reach adjust
🔩 <b>SADDLE</b>	WTB Silverado Team, CroMo
🔩 <b>SEATPOST</b>	RockShox Reverb Stealth dropper, 31.6
🔩 <b>SIZES</b>	S,M,L,XL
🏆 <b>COLOR 1</b>	Berzerker Green w/ Jet Black, Gloss - GRN
🏆 <b>COLOR 2</b>	N/A
...! <b>EXTRAS</b>	High pressure shock pump

C21256M

## JEKYLL CARBON 2



🏆 Black w/Nearly Black, Fine Silver, Matte - BBQ

🔺 <b>FRAME</b>	Jekyll 27.5, 160/95mm, BallisTec Hi-MOD Carbon, BB30, 1SCG03, 1.5 Si headtube	🔧 <b>REAR DERAILLEUR</b>	SRAM X01
🏠 <b>FORK</b>	RockShox Pike RCT3 27.5, 160mm, Solo Air, 15mm Maxle, tapered steerer, 51mm offset	⊕ <b>SHIFTERS</b>	SRAM X1
🛞 <b>REAR SHOCK</b>	Fox DYAD RT2, Dual Travel/Dual Geometry 160/95mm adj. travel	— <b>HANDLEBAR</b>	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 780x15mm
🔴 <b>RIMS</b>	WTB Frequency Team i25 TCS Tubeless Ready 27.5"	🖱 <b>GRIPS</b>	Cannondale Dual Locking Grips
🔩 <b>HUBS</b>	Formula, DC81 15mm thru axle front, DCL361 142x12mm rear	🏠 <b>STEM</b>	FSA Gravity Light, 1.5", 31.8, 5 deg.
🌟 <b>SPOKES</b>	DT Swiss Competition	🔩 <b>HEADSET</b>	Tange Seiki 1-1/8 to 1.5", integrated
🌀 <b>TIRES</b>	Schwalbe Hans Dampf 27.5 x2.35 Snakeskin TL Ready Performance Folding	🔩 <b>BRAKES</b>	SRAM Guide RS w/ metallic pads, Centerline rotors, 180/180mm
🛞 <b>PEDALS</b>	N/A	🔩 <b>BRAKE LEVERS</b>	SRAM Guide RS w/cartridge bearing, reach adjust
🏠 <b>CRANK</b>	Cannondale HollowGram Si, hollow forged, BB30, 30t SpiderRing	🏠 <b>SADDLE</b>	WTB Silverado Team, CroMo
🏠 <b>CRANK OPTION</b>	N/A	🏠 <b>SEATPOST</b>	KS LEV Integra dropper, internal routing, 31.6, 125mm (S,M) 150mm (L,X) travel
🛞 <b>BOTTOM BRACKET</b>	Cannondale BB30	📏 <b>SIZES</b>	S,M,L,XL
🔩 <b>CHAIN</b>	SRAM PCX1, 11-speed	🏆 <b>COLOR 1</b>	Black w/Nearly Black, Fine Silver, Matte - BBQ
🔩 <b>REAR COGS</b>	SRAM XG-1180, 10-42, 11-speed	🏆 <b>COLOR 2</b>	N/A
🔩 <b>FRONT DERAILLEUR</b>	N/A	🔩 <b>EXTRAS</b>	High pressure shock pump

C21206M

# JEKYLL CARBON 2



🏆 Black w/Nearly Black, Fine Silver, Matte - BBQ

△ <b>FRAME</b>	Jekyll 27.5, 160/95mm, BallisTec Hi-MOD Carbon, BB30, ISCG03, 1.5 Si headtube	🔧 <b>REAR DERAILLEUR</b>	SRAM X01
🏠 <b>FORK</b>	SuperMax Carbon 2.0, 160mm, PBR Isolated Damper Technology with Enduro+ tune and updated controls, 50mm offset	⊕ <b>SHIFTERS</b>	SRAM X1
🛞 <b>REAR SHOCK</b>	Fox DYAD RT2, Dual Travel/Dual Geometry 160/95mm adj. travel	— <b>HANDLEBAR</b>	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 780x15mm
○ <b>RIMS</b>	WTB Frequency Team i25 TCS Tubeless Ready 27.5"	🖱 <b>GRIPS</b>	Cannondale Dual Locking Grips
↔ <b>HUBS</b>	Lefty 60 Front, Formula DCL361 142x12mm rear	🔩 <b>STEM</b>	FSA Gravity Light, 1.5", 31.8, 5 deg.
✳ <b>SPOKES</b>	DT Swiss Competition	🌀 <b>HEADSET</b>	Cannondale HeadShok Si
🌀 <b>TIRES</b>	Schwalbe Hans Dampf 27.5 x2.35 Snakeskin TL Ready Performance Folding	🔒 <b>BRAKES</b>	SRAM Guide RS w/ metallic pads, Centerline rotors, 180/180mm
🛞 <b>PEDALS</b>	N/A	🔩 <b>BRAKE LEVERS</b>	SRAM Guide RS w/cartridge bearing, reach adjust
🔩 <b>CRANK</b>	Cannondale HollowGram Si, hollow forged, BB30, 30t SpiderRing	📉 <b>SADDLE</b>	WTB Silverado Team, CroMo
🔩 <b>CRANK OPTION</b>	N/A	📏 <b>SEATPOST</b>	KS LEV Integra dropper, internal routing, 31.6, 125mm (S,M) 150mm (L,X) travel
🛞 <b>BOTTOM BRACKET</b>	Cannondale BB30	📏 <b>SIZES</b>	S,M,L,XL
🔩 <b>CHAIN</b>	SRAM PCX1, 11-speed	🏆 <b>COLOR 1</b>	Black w/Nearly Black, Fine Silver, Matte - BBQ
🔩 <b>REAR COGS</b>	SRAM XG-1180, 10-42, 11-speed	🏆 <b>COLOR 2</b>	N/A
🔩 <b>FRONT DERAILLEUR</b>	N/A	...! <b>EXTRAS</b>	High pressure shock pump



C21306M

## JEKYLL 3



☞ Black w/Nearly Black, Fine Silver, Matte - BBQ

▣ FRAME	Jekyll 27.5, 160/95mm, SmartFormed Alloy, BB30, 15CG03, 1.5 Si headtube	🔧 REAR DERAILLEUR	Shimano RD-M786 XT Shadow Plus
🏹 FORK	RockShox Pike RCT3 27.5, 160mm, Solo Air, 15mm Maxle, tapered steerer, 51mm offset	⚙️ SHIFTERS	Shimano SLX w/ I-Spec
🛞 REAR SHOCK	Fox DYAD RT2, Dual Travel/Dual Geometry 160/95mm adj. travel	— HANDLEBAR	Cannondale C3 riser, 9 degree upsweep, 4 degree backsweep, 780x15mm
🌀 RIMS	WTB Frequency Race i25, TCS Tubeless Ready, 27.5"	👉 GRIPS	Cannondale Dual Locking Grips
🔩 HUBS	Formula, DC-S1 15mm thru axle front, DC360 142x12mm rear	🔩 STEM	Cannondale C3, 3D Forged 1-1/8", 31.8, 45mm
✨ SPOKES	DT Swiss Champion	🌀 HEADSET	Tange Seiki 1-1/8 to 1.5", integrated
🛞 TIRES	Schwalbe Hans Dampf 27.5x2.35 Performance Folding	🛞 BRAKES	Shimano SLX w/ Metal Pad, 180/180mm
🛞 PEDALS	N/A	👉 BRAKE LEVERS	Shimano SLX
🔩 CRANK	Race Face Aeffect, 36/22, BB30	🛞 SADDLE	WTB Silverado
🔩 CRANK OPTION	N/A	🏹 SEATPOST	Trans-X Dropper, 31.6mm, 120mm travel
🛞 BOTTOM BRACKET	Race Face BB30	🛞 SIZES	S,M,L,XL
🔩 CHAIN	KMC X10, 10-speed	☞ COLOR 1	Jet Black w/Turquoise, Race Red, Matte - BBQ
🔩 REAR COGS	Shimano HG-50, 11-36, 10-speed	☞ COLOR 2	N/A
🔩 FRONT DERAILLEUR	Shimano Deore, direct mount	...! EXTRAS	High pressure shock pump

C21406M

## JEKYLL 4



Primer Grey/Vizerker Green, Glass - GRY

▣ FRAME	Jekyll 27.5, 160/95mm, SmartFormed Alloy, BB30, 15CG03, 1.5 Si headtube	⚙ REAR DERAILLEUR	Shimano SLX, Shadow Plus
↑ FORK	RockShox Pike RC 27.5, 160mm, Solo Air, 15mm Maxle, tapered steerer, 51mm offset	⊕ SHIFTERS	Shimano SLX w/ I-Spec
▣ REAR SHOCK	Fox DYAD RT2, Dual Travel/Dual Geometry 160/95mm adj. travel	— HANDLEBAR	Cannondale C3 riser, 9 degree upsweep, 4 degree backsweep, 780x15mm
○ RIMS	WTB ST i25, TCS Tubeless Ready, 27.5"	👉 GRIPS	Cannondale Dual Locking Grips
↔ HUBS	Formula, DC-S1 15mm thru axle front, DHT 142 142x12mm rear	🔩 STEM	Cannondale C3, 3D Forged 1-1/8", 31.8, 45mm
✳ SPOKES	DT Swiss Champion	⊙ HEADSET	Tange Seiki 1-1/8 to 1.5", integrated
🌀 TIRES	Schwalbe Hans Dampf, 27x2.35, Performance Folding	🔩 BRAKES	Shimano Deore w/ Resin Pad, 180/180mm
⊕ PEDALS	N/A	👉 BRAKE LEVERS	Shimano Deore
⊖ CRANK	Shimano Deore Hollowtech II, 38x24	👉 SADDLE	WTB Silverado
⊖ CRANK OPTION	N/A	↑ SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S, M) 400mm (L, X)
↔ BOTTOM BRACKET	Shimano Deore w/ Wheels Mfg Adapter	📏 SIZES	S, M, L, XL
○ CHAIN	KMC X10, 10-speed	👉 COLOR 1	Primer Grey/Vizerker Green, Glass - GRY
👉 REAR COGS	Shimano HG-50, 11-36, 10-speed	👉 COLOR 2	N/A
👉 FRONT DERAILLEUR	Shimano Deore, direct mount	...! EXTRAS	High pressure shock pump