

TRAIL



La catégorie Trail est le paradis de nos vélos les plus polyvalents, prêts à tout faire et à bien le faire. Des vélos toujours partants, qu'il s'agisse d'une sortie à l'heure de la pause-déjeuner ou d'une liste de destinations variées. Légers, polyvalents et incroyablement compétents sur pratiquement tout ce que la montagne peut mettre devant vos roues, ces vélos sont votre passeport pour vous payer du bon temps sur les pistes tout-terrain.

HABIT

HABIT Hi-MOD BLACK INC.
HABIT Hi-MOD 1
HABIT CARBON 2
HABIT CARBON SE
HABIT CARBON 3
HABIT 4
HABIT 5
HABIT 6

BAD HABIT

BAD HABIT 1
BAD HABIT 2

BEAST OF THE EAST

BEAST OF THE EAST 1
BEAST OF THE EAST 2
BEAST OF THE EAST 3

HABIT

ADOPTEZ LE HABIT

Vous auriez aussi bien pu l'appeler le "juste équilibre". Suffisamment posé et capable pour rouler avec des vélos au débattement important, tout en étant suffisamment vif et léger, le Habit met l'accent sur la plus importante performance pour un VTT : fournir du plaisir pur, simple et qui donne la banane ! Si vous cherchez un vélo vraiment polyvalent, prenez le Habit.



HABIT EST:

- » Enjoué, agile et ultra compétent sur les terrains de montagne variés.
- » La plage de débattement, la géométrie et les spécifications.
- » Votre VTT volontaire, polyvalent et talentueux.

PROFIL DE L'UTILISATEUR

Cyclistes en quête du vélo tout-terrain polyvalent le plus amusant et le plus compétent.

1 DÉBATTEMENT

Habit - 120mm avant et arrière
Habit SE - 130mm avant/120mm arrière

2 CADRES LÉGERS

Les cadres Habit sont disponibles en trois versions de haute qualité. Carbone BallisTec avec biellette carbone ; avant carbone BallisTec/arrière aluminium SmartFormed avec biellette carbone ; et tout aluminium SmartFormed. La biellette d'amortisseur en carbone permet une réduction de poids de 100 grammes par rapport à l'aluminium.

3 GÉOMÉTRIE SPÉCIFIQUE DE TRAIL

L'angle du tube de direction de 68°, le déport de fourche de 50 mm, les bases arrière courtes et le châssis abaissé offrent le mélange idéal de vitesse et de capacité pour avaler tout ce que la montagne met devant vos roues.

4 HAUBANS ZERO PIVOT

Plus légers et plus rigides latéralement que les pivots classiques, ces haubans sans pivot permettent également de réduire le poids non-suspendu pour offrir une suspension plus réactive. Ils équipent les triangles arrière carbone et aluminium.

5 ECS-TC LOCKR PIVOTS

Des axes surdimensionnés dans le triangle arrière et la biellette sont bloqués en position au moyen d'un système de bague, qui a pour effet d'augmenter considérablement la rigidité du système.

6 DES SPÉCIFICATION DE TRAIL SPÉCIFIQUES

C'est une question de contrôle... guidon large de 760 mm, potence courte de 60 mm, disques de frein de 180 mm, et jantes plus larges pour garder le contrôle, où que vous alliez.

TAILLES

S, M, L, X

C23106M

HABIT CARBON BLACK INC.



☞ Jet Black w/Charcoal Grey, Fine Silver, Matte - BBQ

NOTE: RENDERINGS DO NOT NECESSARILY SHOW ACTUAL SPECS FOR THIS BIKE

▣ FRAME	Habit 27.5, 120mm, Full BallisTec Carbon, Carbon Link, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	🔧 FRONT DERAILLEUR	Shimano XTR Di2
🏠 FORK	Lefty 2.0 Carbon, 120mm, XLR Isolated Damper Technology with Trail+tune and X-Loc Full Sprint remote, 50mm offset	🔧 REAR DERAILLEUR	Shimano XTR Di2
🛞 REAR SHOCK	RockShox Monarch DebonAir XX, 120mm travel, Fullsprint Xloc	⚙️ SHIFTERS	Shimano XTR Di2, 11-speed
🔵 RIMS	Enve M60 Carbon, 32H, Tubeless Ready, 27.5	🏠 HANDLEBAR	Enve Carbon Riser, 760mm
🔩 HUBS	Chris King ISO 142x12 rear, Lefty 60 front	🖱️ GRIPS	Cannondale Dual Locking Grips
🌟 SPOKES	DT Swiss Aerolite	🔩 STEM	Cannondale Ct. 6061 Alloy, 1.5", 31.8, 5 deg.
🛞 TIRES	Schwalbe Nobby Nic EVO front, Rocket Ron EVO rear, 27.5x2.25, tubeless ready	🔩 HEADSET	Cannondale HeadShok Si
🛞 PEDALS	N/A	🔩 BRAKES	Shimano XTR M9020 Trail, with fins
🔩 CRANK	Cannondale HollowGram SiSL2, hollow forged, BB30, 26/36t	🖱️ BRAKE LEVERS	Shimano XTR M9020 Trail with Reach Adjust
🔩 CRANK OPTION	N/A	🛞 SADDLE	Fabric Scoop Flat Ultimate
🛞 BOTTOM BRACKET	Cannondale Alloy PressFit30	🏠 SEATPOST	RockShox Reverb Stealth dropper, 31.6, 125mm (S), 150mm (M,L,X) travel
🔩 CHAIN	Shimano XTR, 11-speed	📏 SIZES	S,M,L,XL
🔩 REAR COGS	Shimano XTR, 11-40, 11-speed	🏠 COLOR 1	Jet Black w/Charcoal Grey, Fine Silver, Matte - BBQ
		🏠 COLOR 2	N/A
		...! EXTRAS	Di2 Charger, Battery

C23126M

HABIT Hi-MOD 1



☞ Berzerker Green w/ Jet Black, Gloss - GRN

▣ FRAME	Habit 27.5, 120mm, Full BallisTec Carbon, Carbon Link, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
┆ FORK	Lefty 2.0 Carbon, 120mm, XLR Isolated Damper Technology with Trail+tune and X-Loc Full Sprint remote, 50mm offset
▣ REAR SHOCK	RockShox Monarch DebonAir XX, 120mm travel, Fullsprint Xloc
○ RIMS	Cannondale CZero Carbon
↔ HUBS	Cannondale CZero, Lefty 60 front, 142x12 rear
✦ SPOKES	CZero, double butted, straightpull
☞ TIRES	Schwalbe Nobby Nic EVO front, Rocket Ron EVO rear, 27.5x2.25, tubeless ready
▣ PEDALS	N/A
○ CRANK	Cannondale HollowGram Si, hollow forged, BB30, 30t SpideRing
○ CRANK OPTION	N/A
▣ BOTTOM BRACKET	Cannondale Alloy PressFit30
○ CHAIN	SRAM PCX1, 11-speed
▣ REAR COGS	SRAM XG-1180, 10-42, 11-speed
▣ FRONT DERAILLEUR	N/A

▣ REAR DERAILLEUR	SRAM XX1
⊕ SHIFTERS	SRAM XO1, 11-speed
┆ HANDLEBAR	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 760x15mm
☞ GRIPS	Cannondale Dual Locking Grips
▣ STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
○ HEADSET	Cannondale HeadShok Si
▣ BRAKES	SRAM Guide RSC w/ metallic pads, Centerline rotors 180/180mm
▣ BRAKE LEVERS	SRAM Guide RSC w/ contact point adjust, cartridge bearing, reach adjust
▣ SADDLE	Fabric Scoop Shallow Race with Ti rails
┆ SEATPOST	RockShox Reverb Stealth dropper, 31.6, 125mm (S,) 150mm (M,L,X) travel
☞ SIZES	S,M,L,XL
☞ COLOR 1	Berzerker Green w/ Jet Black, Gloss - GRN
☞ COLOR 2	N/A
...! EXTRAS	N/A

C23206M

HABIT CARBON 2



🏆 Jet Black w/ Ultra Blue, Charcoal Grey, Matte - BBQ

🔧 FRAME	Habit 27.5, 120mm, BallisTec Carbon, Carbon Link, SmartFormed Alloy swingarm, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	🔧 FRONT DERAILLEUR	Shimano XT M8025
🏠 FORK	Lefty 2.0 Alloy OPI, 120mm, XLR Isolated Damper Technology with Trail+tune and X-Loc Full Sprint remote, 50mm offset	🔧 REAR DERAILLEUR	Shimano XTR, 11-speed
🔧 REAR SHOCK	RockShox Monarch DebonAir XX, 120mm travel, Fullsprint Xloc	🔧 SHIFTERS	Shimano XT M8000, 11-speed iSpec
🔧 RIMS	Stans Arch Ex 32H, 27.5 Tubeless ready	🔧 HANDLEBAR	Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 760x15mm
🔧 HUBS	Lefty 60 front, Formula with HG driver 142x12 rear	🔧 GRIPS	Cannondale Dual Locking Grips
🌟 SPOKES	DT Swiss Competition	🔧 STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
🔧 TIRES	Schwalbe Nobby Nic EVO front, Rocket Ron EVO rear, 27.5x2.25, tubeless ready	🔧 HEADSET	Cannondale HeadShok Si
🔧 PEDALS	N/A	🔧 BRAKES	Shimano XT M8000 w/Metal Finned pads, 180/160
🔧 CRANK	Cannondale HollowGram Si, hollow forged, BB30, 22/36t	🔧 BRAKE LEVERS	Shimano XT M8000
🔧 CRANK OPTION	N/A	🔧 SADDLE	Fabric Scoop Shallow Elite with Cromoly rails
🔧 BOTTOM BRACKET	Cannondale Alloy PressFit30	🔧 SEATPOST	RockShox Reverb Stealth dropper, 31.6, 125mm (S,) 150mm (M,L,X) travel
🔧 CHAIN	Shimano CNHG600 11-speed	🔧 SIZES	S,M,L,XL
🔧 REAR COGS	Shimano XT M8000 11-40, 11-speed	🔧 COLOR 1	Jet Black w/ Ultra Blue, Charcoal Grey, Matte - BBQ
		🔧 COLOR 2	N/A
		🔧 EXTRAS	N/A

C23256M

HABIT CARBON SE



🏆 Turquoise w/ Jet Black, Acid Red, Gloss - TRQ

🏆 FRAME	Habit 27.5, 120mm, BallisTec Carbon, Carbon Link, SmartFormed Alloy swingarm, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube
🏆 FORK	Lefty 2.0 Alloy OPI, 130mm, PBR Isolated Damper Technology with Trail+ tune and updated controls, 50mm offset
🏆 REAR SHOCK	RockShox Monarch DebonAir RT, 120mm travel
🏆 RIMS	WTB FREQUENCY RACE 123 TCS 27.5, Tubeless Ready
🏆 HUBS	Lefty 60 front, Formula with XD driver 142x12 rear
🏆 SPOKES	DT Swiss Competition
🏆 TIRES	Schwalbe Nobby Nic Performance, 27.5 x2.35 front/2.25 rear, tubeless ready
🏆 PEDALS	N/A
🏆 CRANK	Cannondale Si, BB30, SpideRing 30t
🏆 CRANK OPTION	N/A
🏆 BOTTOM BRACKET	Cannondale Alloy PressFit30
🏆 CHAIN	SRAM PCX1, 11-speed
🏆 REAR COGS	SRAM XG-1180, 10-42, 11-speed
🏆 FRONT DERAILLEUR	N/A
🏆 REAR DERAILLEUR	SRAM X1, 11-speed
🏆 SHIFTERS	SRAM X1, 11-speed
🏆 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
🏆 GRIPS	Cannondale Dual Locking Grips
🏆 STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
🏆 HEADSET	Cannondale HeadShok Si
🏆 BRAKES	SRAM Guide R, 180/180
🏆 BRAKE LEVERS	SRAM Guide
🏆 SADDLE	Fabric Scoop Shallow Elite with Cromoly rails KS LEV Integra dropper, internal routing, 31.6, 125mm (S,M) 150mm (L,X) travel
🏆 SEATPOST	N/A
🏆 SIZES	S,M,L,XL
🏆 COLOR 1	Turquoise w/ Jet Black, Acid Red, Gloss - TRQ
🏆 COLOR 2	N/A
🏆 EXTRAS	N/A

C23306M

HABIT CARBON 3



🏆 Nearly Black w/ Berzerker Green and Matte Jet Black, Gloss - GRY

🔧 FRAME	Habit 27.5, 120mm, BallisTec Carbon, Carbon Link, SmartFormed Alloy swingarm, PF30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	🔧 REAR DERAILLEUR	Shimano XT Shadow Plus
🔧 FORK	Lefty 2.0 Alloy OPI, 120mm, Isolated Damper Technology with Trail+ tune and updated controls, 50mm offset	⚙️ SHIFTERS	Shimano SLX, iSpec, 10-speed
🔧 REAR SHOCK	RockShox Monarch RL w/ high volume eyelet, 120mm travel	🏍️ HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
🔧 RIMS	Stans Rapid 28 32H, 27.5 Tubeless ready	🖱️ GRIPS	Cannondale Dual Locking Grips
🔧 HUBS	Lefty 60 front, Formula with HG driver 142x12 rear	🔧 STEM	Cannondale C1, 6061 Alloy, 1.5", 31.8, 5 deg.
🔧 SPOKES	DT Swiss Champion	🔧 HEADSET	Cannondale HeadShok Si
🔧 TIRES	Schwalbe Nobby Nic Performance front, Rocket Ron Performance rear, 27.5x2.25, tubeless ready	🔧 BRAKES	Shimano Deore, Resin pads, 180/160
🔧 PEDALS	N/A	🔧 BRAKE LEVERS	Shimano Deore
🔧 CRANK	Cannondale Si, BB30, FSA 26/36 rings	🔧 SADDLE	Fabric Scoop Shallow Elite with Cromoly rails
🔧 CRANK OPTION	N/A	🔧 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
🔧 BOTTOM BRACKET	Cannondale Alloy PressFit30	🔧 SIZES	S,M,L,XL
🔧 CHAIN	Shimano HG54, 10-speed	🔧 COLOR 1	Nearly Black w/ Berzerker Green and Matte Jet Black, Gloss - GRY
🔧 REAR COGS	Shimano HG50 11-36, 10-speed	🔧 COLOR 2	N/A
🔧 FRONT DERAILLEUR	Shimano M618 Deore	...! EXTRAS	N/A

C23406M

HABIT 4



🏆 Berzerker Green w/ Jet Black, Gloss - GRN

🔺 FRAME	Habit 27.5, 120mm, SmartFormed Alloy, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	🔗 REAR DERAILLEUR	Shimano SLX Shadow Plus
🏠 FORK	Lefty 2.0 Alloy OPI, 120mm, Isolated Damper Technology with Trail+ tune and updated controls, 50mm offset	⊕ SHIFTERS	Shimano Deore, iSpec, 10-speed
🛞 REAR SHOCK	RockShox Monarch RL w/ high volume eyelet, 120mm travel	🏴 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
🔴 RIMS	Stans Rapid 28 32H, 27.5 Tubeless ready	🖱 GRIPS	Cannondale Dual Locking Grips
🔩 HUBS	Lefty 60 front, Formula with HG driver 142x12 rear	🔑 STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, 5 deg.
🌟 SPOKES	DT Swiss Champion	🏠 HEADSET	Cannondale HeadShok Si
🌀 TIRES	Schwalbe Nobby Nic Performance front, Rocket Ron Performance rear, 27.5x2.25, tubeless ready	🔗 BRAKES	Shimano Deore, Resin pads, 180/160
🛞 PEDALS	N/A	🔑 BRAKE LEVERS	Shimano Deore
🔩 CRANK	Shimano Deore M617, 22/36	🛝 SADDLE	Cannondale Stage 3
🔩 CRANK OPTION	N/A	🏠 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
🛞 BOTTOM BRACKET	Cannondale Alloy BB30 with Tange BSA adapter	📏 SIZES	S,M,L,XL
🔗 CHAIN	Shimano HG54, 10-speed	🏆 COLOR 1	Berzerker Green w/ Jet Black, Gloss - GRN
🔗 REAR COGS	Shimano HG50 11-36, 10-speed	🏆 COLOR 2	N/A
🔗 FRONT DERAILLEUR	Shimano M618 Deore	...! EXTRAS	N/A

C23506M

HABIT 5



☞ Jet Black w/ Fine Silver, Charcoal Grey, Matte- BBQ

▣ FRAME	Habit 27.5, 120mm, SmartFormed Alloy, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	🔗 REAR DERAILLEUR	Shimano SLX Shadow Plus
👤 FORK	RockShox Recon Gold, Tapered Steerer, 120mm, 15mm Through Axle, Poploc Handlebar mounted remote	⊕ SHIFTERS	Shimano Deore, iSpec, 10-speed
🛞 REAR SHOCK	RockShox Monarch RL w/ high volume eyelet, 120mm travel	~ HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
○ RIMS	WTB Stp i19 32H, 27.5 Tubeless ready	👤 GRIPS	Cannondale Locking Grips
🔗 HUBS	Formula 100x15 front, Formula with HG driver 142x12 rear	🔗 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
✨ SPOKES	Stainless, 15g	🔗 HEADSET	Tange 1.5 for Tapered Steer tubes
🌀 TIRES	Schwalbe Nobby Nic Performance front, Rocket Ron Performance rear, 27.5x2.25, tubeless ready	🔗 BRAKES	Shimano Deore, Resin pads, 180/160
🛞 PEDALS	N/A	🔗 BRAKE LEVERS	Shimano Deore
🔗 CRANK	Shimano Deore M617, 22/36	🔗 SADDLE	Cannondale Stage 3
🔗 CRANK OPTION	N/A	👤 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
🔗 BOTTOM BRACKET	Cannondale Alloy BB30 with Tange BSA adapter	🌀 SIZES	S,M,L,XL
🔗 CHAIN	KMC X10, 10-speed	☞ COLOR 1	Jet Black w/ Fine Silver, Charcoal Grey, Matte- BBQ
🔗 REAR COGS	Sunrace 11-36, 10-speed	☞ COLOR 2	N/A
🔗 FRONT DERAILLEUR	Shimano M618 Deore	...! EXTRAS	N/A

C23606M

HABIT 6



Charcoal Grey w/ Jet Black, Acid Red, Matte - GRY

△ FRAME	Habit 27.5, 120mm, SmartFormed Alloy, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	⚙️ REAR DERAILLEUR	Shimano Deore, Shadow
🏹 FORK	RockShox Recon Silver, 120mm, Poploc Handlebar mounted remote	⊕ SHIFTERS	Shimano M3000 Acera, 9-speed
🛞 REAR SHOCK	X-Fusion O2 RL, 120mm	📏 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
🔴 RIMS	WTB STP i19 32H, 27.5", tubeless ready	🖱️ GRIPS	Cannondale Locking Grips
🔩 HUBS	Formula 100x9 front, Formula with HG driver 142x12 rear	🔩 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
✨ SPOKES	Stainless, 15g	🔩 HEADSET	Tange 1.5 for 1.125 Steer tubes
🛞 TIRES	Schwalbe Nobby Nic Performance front, Rocket Ron Performance rear, 27.5x2.25, tubeless ready	🔩 BRAKES	Tektro Arugia hydraulic disc, 180/160
🔩 PEDALS	N/A	🔩 BRAKE LEVERS	Tektro Arugia hydraulic disc
🔩 CRANK	Shimano FC-M4000, 20/30/44	📏 SADDLE	Cannondale Stage 3
🔩 CRANK OPTION	N/A	📏 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
🔩 BOTTOM BRACKET	Cannondale Alloy BB30 with Tange BSA adapter	📏 SIZES	S,M,L,XL
🔩 CHAIN	KMC X9, 9-speed	🔩 COLOR 1	Charcoal Grey w/ Jet Black, Acid Red, Matte - GRY
🔩 REAR COGS	Sunrace 12-36, 9-speed	🔩 COLOR 2	N/A
🔩 FRONT DERAILLEUR	Shimano M610 Deore	...! EXTRAS	N/A

BAD HABIT

LES MAUVAISES HABITUDES PROCURENT LE PLUS DE PLAISIR.

Plus de traction, plus d'adhérence, plus de confort et plus de confiance. Que demander de plus ? Le Bad Habit bénéficie de la nature enjouée du Habit et la renforce encore avec des roues 27,5+ pour créer une toute nouvelle bombe de trail. L'outil idéal pour répondre à l'appel des sentiers non goudronnés.



BAD HABIT EST:

- » «Un maximum de traction dans une machine très enjouée.
- » Plus de plaisir pour chacun, du débutant au «broyeur».
- » Conçu spécialement pour les roues de 27,5+, pas de cadres 29er transformés ici !

1 PNEUS 27,5+

Avec ses jantes plus larges et ses gros pneus 3.0, le Bad Habit utilise une pression de gonflage plus faible et vous apporte un contrôle suprême à travers les plus mauvais passages de caillasse et de racines. Le grand diamètre des roues et le supplément de volume d'air des pneus vous offrent un angle d'approche et une sensation de flottement incroyables dans les passages difficiles, mais sans l'inconvénient que représente le poids des jantes et des pneus des vélos à gros pneus.

2 CONÇU POUR LES ROUES 27,5+

À la différence de nombreux vélos «27,5+» sur le marché qui ne sont que des cadres 29er transformés et montés avec des pneus 2.8, le cadre léger en aluminium SmartFormed du Bad Habit est conçu spécialement pour les roues 27,5+. Un dégagement suffisant pour des pneus 3.0, des bases arrière courtes et une géométrie spécifique sont synonymes de meilleure performance et de plus de plaisir.

3 LEFTY 2.0

Des gros pneus sont synonymes d'adhérence et une grande adhérence se traduit par une flexion importante de la fourche, à moins d'avoir une fourche Lefty. L'incroyable rigidité et l'action régulière de la Lefty dans des conditions de charge importantes constituent la solution idéale pour les pneus très adhérents et le style de conduite typiquement «barré» des utilisateurs du Bad Habit.

PROFIL DE L'UTILISATEUR

Tous ceux qui sont à la recherche du maximum de plaisir. Des cyclistes expérimentés prêts à en découdre sur les terrains difficiles aux débutants à la recherche du vélo le plus indulgent et inspirant du marché.

4 DÉPORT DE FOURCHE DE 55 MM

Pour contrer l'accroissement de la chasse (et la conduite molle qui en résulte) caractéristique des pneus de large diamètre, la fourche Lefty qui équipe le Bad Habit utilise un déport de fourche de 55 mm afin de réduire la chasse et d'offrir une conduite nerveuse.

5 HAUBANS ZERO PIVOT

Plus légers et plus rigides que les pivots classiques, ces haubans aluminium sans pivot permettent également de réduire le poids non-suspendu pour offrir une suspension plus réactive.

6 ECS-TC LOCKR PIVOTS

Des axes surdimensionnés dans le triangle arrière et la biellette sont bloqués en position au moyen d'un système de bague, qui a pour effet d'augmenter considérablement la rigidité du système.

7 DES SPÉCIFICATION DE TRAIL SPÉCIFIQUES

IC'est une question de contrôle... guidon large de 760 mm, potence courte de 60 mm, disques de frein de 180 mm, et jantes plus larges pour garder le contrôle, où que vous alliez.

8 PASSAGE INTERNE DU CÂBLE DE LA TIGE DE SELLE TÉLESCOPIQUE

Le passage interne du câble à l'intérieur du tube de selle est une solution propre et esthétique qui fait de l'installation d'une tige de selle télescopique une opération aisée.

TAILLES

S, M, L, X

C28416M

BAD HABIT 1

Teal w/ Turquoise, Bad Habit Blue, Gloss - TEA

FRAME	Bad Habit 27+, 120mm, SmartFormed Alloy, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	REAR DERAILLEUR	SRAM GX, 11spd
FORK	Lefty 2.0 Alloy OPI, 120mm, Isolated Damper Technology with Trail+ tune and updated controls, 55mm offset	SHIFTERS	SRAM GX, 11spd
REAR SHOCK	RockShox Monarch RL w/ high volume eyelet, 120mm travel	HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
RIMS	WTB Scraper i45 27.5", 45mm, tubeless ready	GRIPS	Cannondale Dual Locking Grips
HUBS	Lefty 60 front, Formula with XD driver 142x12 rear	STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, 5 deg.
SPOKES	Stainless, 15g	HEADSET	Cannondale HeadShok Si
TIRES	WTB Bridger, 27.5x3.0, tubeless ready	BRAKES	Shimano Deore, Resin pads, 180/180
PEDALS	N/A	BRAKE LEVERS	Shimano Deore
CRANK	Cannondale Si, BB30, SpiderRing 30t	SADDLE	Cannondale Stage 3
CRANK OPTION	N/A	SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
BOTTOM BRACKET	Cannondale Alloy BB30	SIZES	S,M,L,XL
CHAIN	SRAM PC-X1, 11-speed	COLOR 1	Teal w/ Turquoise, Bad Habit Blue, Gloss - TEA
REAR COGS	SRAM XG-1150, 10-42, 11-speed	COLOR 2	N/A
FRONT DERAILLEUR		EXTRAS	N/A

C28516M

BAD HABIT 2

☞ Hazard Orange w/ Fine Silver, Charcoal Grey, Gloss - ORG

▣ FRAME	Bad Habit 27+, 120mm, SmartFormed Alloy, BB30, Flat Mount Brake, Pivoting Der Hanger, 1.5 Si headtube	🔧 FRONT DERAILLEUR	Shimano M618 Deore
🏠 FORK	RockShox Reba RL Boost, Tapered Steerer, 120mm, 15mm Through Axle, Poploc Handlebar mounted remote	🔧 REAR DERAILLEUR	Shimano SLX Shadow Plus
🛞 REAR SHOCK	RockShox Monarch RL w/ high volume eyelet, 120mm travel	⚙️ SHIFTERS	Shimano Deore, iSpec, 10-speed
🌀 RIMS	Cannondale Beast, 27.5x50mm, tubeless ready	🏎️ HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
🔩 HUBS	Formula 110x15 front, Formula with HG driver 142x12 rear	🖱️ GRIPS	Cannondale Locking Grips
🌟 SPOKES	Stainless, 15g	🔑 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
🛞 TIRES	WTB Bridger, 27.5x3.0, tubeless ready	🌀 HEADSET	Tange 1.5 for Tapered Steer tubes
🛞 PEDALS	N/A	🔧 BRAKES	Shimano Deore, Resin pads, 180/160
🔩 CRANK	Cannondale Si, BB30, FSA 26/36 rings	🔑 BRAKE LEVERS	Shimano Deore
🔩 CRANK OPTION	N/A	🛞 SADDLE	Cannondale Stage 3
🔩 BOTTOM BRACKET	Cannondale Alloy BB30	🔩 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
🔩 CHAIN	KMC X10, 10-speed	📏 SIZES	S,M,L,XL
🔩 REAR COGS	Sunrace 11-36, 10-speed	🏎️ COLOR 1	Hazard Orange w/ Fine Silver, Charcoal Grey, Gloss - ORG
		🏎️ COLOR 2	N/A
		...! EXTRAS	N/A

BEAST OF THE EAST

LE RETOUR DE LA BÊTE !

Notre légendaire *Beast of the East* est de retour sous la forme d'un vélo semi-rigide aux roues 27,5+, à la conduite à la fois rassurante et incroyablement amusante. Et toute cette traction, ce confort et cette assurance de conduite qui en fait le vélo idéal pour les forêts enchevêtrées de la Côte Est (des États-Unis) en font également le partenaire idéal partout où les sentiers montent, descendent, passent dessus ou autour de quelque chose. Amusez-vous bien !



BEAST OF THE EAST EST:

- » Un vélo de trail semi-rigide pour un maximum de traction et un maximum de plaisir
- » Idéal aussi bien pour les virtuoses "barrés" que pour les débutants.
- » La renaissance d'une légende.

PROFIL DE L'UTILISATEUR

Les cyclistes expérimentés en quête de terrains plus difficiles. Les débutants à la recherche de la manière la plus indulgente et rassurante d'acquérir de nouvelles techniques de conduite.

1 PNEUS 27,5+

Ce nouveau format de pneu change le comportement des vélos semi-rigides sur les terrains difficiles. Les pneus 27,5+ offrent le diamètre de roues des pneus de 29 pouces, avec l'avantage d'un angle d'approche incroyable. Le supplément de largeur se traduit par une zone d'adhérence incroyable qui vous permet de serrer les virages comme jamais auparavant, de flotter sur la méchante rocaille et les racines vicieuses, et de franchir les obstacles les plus redoutables en toute confiance.

2 CONÇU POUR LES ROUES 27,5+

À la différence de nombreux vélos "27,5+" sur le marché qui ne sont que des cadres 29er transformés et montés avec des pneus 2.8, la Bête de l'Est est conçue spécialement pour les roues 27,5+. Un dégagement suffisant pour des pneus 3.0, une transmission Ai, des bases arrière courtes et une géométrie spécifique sont synonymes de meilleure performance et de plus de plaisir.

3 TRANSMISSION AI (ASYMMETRIC INTEGRATION)

Notre technologie Ai nous permet d'intégrer ces gros pneus de 3.0 tout en gardant nos bases arrière courtes et agiles. En déportant le triangle arrière de manière asymétrique et en déplaçant la transmission de 6 mm vers la droite, nous gagnons le dégagement nécessaire aux gros pneus sans affecter le Q-factor. En prime, la roue arrière est encore plus rigide et plus robuste, grâce aux angles de rayons égaux.

4 CADRE EN ALUMINIUM SMARTFORMED

L'histoire de Cannondale avec l'aluminium continue avec la Beast of the East. Le cadre en aluminium SmartFormed a été modifié pour être encore plus léger et réactif, il a été doté d'un triangle arrière SAVE pour un confort accru, et il bénéficie de raffinements techniques supplémentaires tels que le nouveau frein à fixation plate pour réduire encore le poids tout en offrant un dégagement du talon plus important.

5 FOURCHE AU DÉBATTEMENT DE 120 MM

Un vélo aussi capable que celui-ci mérite un peu plus de débattement que ce que vous attendez d'un vélo semi-rigide.

6 CONFIGURATION TRAIL ENJOUÉE

Avec un angle du tube de direction de 68,5°, des bases arrière courtes et une fourche au débattement de 120 mm, la Bête de l'Est est parée pour franchir les terrains les plus hostiles. La géométrie Trail relâchée s'associe harmonieusement avec le large guidon de 760 mm et la potence de 60 mm pour offrir un contrôle total et une conduite rassurante et pleine de plaisir.

7 PASSAGE INTERNE DU CÂBLE DE LA TIGE DE SELLE TÉLESCOPIQUE

Le passage interne du câble de tige de selle télescopique à l'intérieur du tube de selle est une solution propre et esthétique

TAILLES

S, M, L, X

C27106M

BEAST OF THE EAST 1



☞ Matte Teal w/ Gloss Primer Grey, Gloss Moss Green - TEA

▣ FRAME	Beast of the East 27.5", 120mm, Smartformed Alloy, Ai offset, BB30, Flat Mount Brake, 1.5 Si headtube	☞ REAR DERAILLEUR	SRAM X1, 11spd
┆ FORK	Lefty 2.0 Alloy OPI, 120mm, Isolated Damper Technology with Trail+ tune and updated controls, 55mm offset	⊕ SHIFTERS	SRAM GX, 11spd
▣ REAR SHOCK	N/A	┆ HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
○ RIMS	WTB Scrapper i45 27.5", 45mm, tubeless ready	☞ GRIPS	Cannondale Locking Grips
↔ HUBS	Lefty 60 Front, Formula with XD driver, 142x12mm (Ai offset lacing) rear	☞ STEM	Cannondale C3, 6061 Alloy, 1.5", 31.8, 5 deg.
✳ SPOKES	Stainless, 15g	☞ HEADSET	Cannondale HeadShok Si
⋯ TIRES	WTB Bridger, 27.5x3.0, tubeless ready	☞ BRAKES	Shimano Deore, Resin pads, 180/180
▣ PEDALS	N/A	☞ BRAKE LEVERS	Shimano Deore
☞ CRANK	Cannondale Si, Ai, BB30, SpideRing 30t	☞ SADDLE	Cannondale Stage 3
☞ CRANK OPTION	N/A	┆ SEATPOST	Trans-X Dropper, 31.6mm, 120mm travel
☞ BOTTOM BRACKET	Cannondale Alloy BB30	☞ SIZES	S,M,L,XL
○ CHAIN	SRAM PC-X1, 11-speed	☞ COLOR 1	Matte Teal w/ Gloss Primer Grey, Gloss Moss Green - TEA
▣ REAR COGS	SRAM XG-1150, 10-42, 11-speed	☞ COLOR 2	N/A
☞ FRONT DERAILLEUR	N/A	...! EXTRAS	N/A

C27206M

BEAST OF THE EAST 2



☞ Wolfblood Red w/ Jet Black, I Love Gold, Glass - BLO

▣ FRAME	Beast of the East 27+, 120mm, Smartformed Alloy, Ai offset, BB30, Flat Mount Brake, 1.5 Si headtube
┆ FORK	RockShox Reba RL Boost, Tapered Steerer, 120mm, 15mm Through Axle, Poploc Handlebar mounted remote
▣ REAR SHOCK	N/A
○ RIMS	Cannondale Beast, 27.5x50mm, tubeless ready
⇄ HUBS	Formula 110x15 front, Formula with XD driver, 142x12mm (Ai offset lacing) rear
✦ SPOKES	Stainless, 15g
⋯ TIRES	WTB Bridger, 27.5x3.0, tubeless ready
⊞ PEDALS	N/A
⊞ CRANK	Cannondale Si, Ai, BB30, SpideRing 30t
⊞ CRANK OPTION	N/A
▣ BOTTOM BRACKET	Cannondale Alloy BB30
○ CHAIN	SRAM PCX1, 11-speed
▣ REAR COGS	SRAM XG-1150, 10-42, 11-speed
▣ FRONT DERAILLEUR	N/A
⊞ REAR DERAILLEUR	SRAM GX, 11-speed
⊞ SHIFTERS	SRAM GX, 11-speed
┆ HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
☞ GRIPS	Cannondale Locking Grips
▣ STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
⊞ HEADSET	Tange 1.5 for Tapered Steer tubes
☞ BRAKES	Shimano Deore, Resin pads, 180/180
☞ BRAKE LEVERS	Shimano Deore
▣ SADDLE	Cannondale Stage 3
┆ SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
⋯ SIZES	S,M,L,XL
☞ COLOR 1	Wolfblood Red w/ Jet Black, I Love Gold, Glass - BLO
☞ COLOR 2	N/A
...! EXTRAS	N/A

C27306M

BEAST OF THE EAST 3



Charcoal Grey w/ Acid Orange, Primer Grey, Gloss - ORG

▣ FRAME	Beast of the East 27+, 120mm, Smartformed Alloy, Ai offset, BB30, Flat Mount Brake, 1.5 Si headtube	🔗 REAR DERAILLEUR	Shimano SLX Shadow Plus
🏠 FORK	SR Suntour Raidon Air Boost, Tapered Steerer, 120mm, 15mm Through Axle, Handlebar mounted remote	⊕ SHIFTERS	Shimano Deore, iSpec, 10spd
🛞 REAR SHOCK	N/A	🏴 HANDLEBAR	Cannondale C3 riser, Alloy, 4 degree upsweep, 9 degree backsweep, 760x15mm
🔗 RIMS	Cannondale Beast, 27.5x50mm, tubeless ready	🖐 GRIPS	Cannondale Locking Grips
🔗 HUBS	Formula 110x15 front, Formula with HG driver, 142x12mm (Ai offset lacing) rear	🔗 STEM	Cannondale C4, 6061 Alloy, 1-1/8", 31.8, 5 deg.
🌟 SPOKES	Stainless, 15g	🔗 HEADSET	Tange 1.5 for Tapered Steer tubes
🛞 TIRES	WTB Trail Blazer, 27.5x2.8	🔗 BRAKES	Shimano Deore, Resin pads, 180/160
🛞 PEDALS	N/A	🔗 BRAKE LEVERS	Shimano Deore
🔗 CRANK	Cannondale Si, Ai, BB30, SpideRing 30t	🛞 SADDLE	Cannondale Stage 3
🔗 CRANK OPTION	N/A	🔗 SEATPOST	Cannondale C3, 6061 alloy, 31.6x350mm (S,M) 400mm (L,X)
🔗 BOTTOM BRACKET	Cannondale Alloy BB30	📏 SIZES	S,M,L,XL
🔗 CHAIN	KMC X10, 10spd	🏴 COLOR 1	Charcoal Grey w/ Acid Orange, Primer Grey, Gloss - ORG
🔗 REAR COGS	Sunrace 11-40, 10-speed	🏴 COLOR 2	N/A
🔗 FRONT DERAILLEUR	N/A	...! EXTRAS	N/A