

# TRIGGER

PRÊT? PARTEZ !

A l'inverse de plateformes limitées à une seule pratique, le tout-nouveau Trigger n'a pas besoin de faire de compromis entre trop ou pas assez de débattement, une géométrie trop fermée ou trop ouverte. Equipé du nouvel et amélioré amortisseur Fox DYAD, il offre au rider le compromis idéal: débattement et géométrie optimisés pour tous les types de terrain ou vous voulez attaquer, ce qui en fait le vélo le plus polyvalent que nous n'ayons jamais conçu, et le seul vélo dont vous ayez besoin dans votre garage.



## TRIGGER EST:

- » Très probablement, le all-mountain le plus polyvalent
- » Capable d'attaquer en descente, grâce à son mode de débattement FLOW et sa géométrie couplée à l'imposante fourche SuperMax.
- » Capable de grimper comme un singe, grâce à son cadre léger et son faible débattement couplé à une géométrie agressive en mode ELEVATE.

### 1 DÉBATTEMENT

Débattement arrière ajustable 'sur le pouce' de 85mm à 140mm. Débattement avant de 140mm.

### 2 LÉGER, RIGIDE ET ROBUSTE

Le Trigger possède la légèreté d'un vélo XC, mais avec la rigidité et la robustesse d'un VTT "all-mountain". Les modèles BallisTec Carbon sont construits entièrement en carbone (à la différence de nos concurrents, nous n'utilisons pas de triangle arrière et de biellettes en aluminium pour réduire les coûts de fabrication), tandis que les modèles en alliage SmartFormed bénéficient de toute la compétence de Cannondale dans la fabrication en aluminium.

### 3 DYAD RT2

La même technologie d'amortisseur deux-en-un utilisée sur nos vélos OverMountain, mais avec une course d'amortisseur, des volumes de ressort pneumatique et des caractéristiques des volumes de ressort pneumatique et des caractéristiques d'amortissement spécifiques au Trigger: petit débattement (85mm) en mode ELEVATE pour des caractéristiques proche d'un vélo de race, alors que le gros débattement en mode FLOW (140mm) offre toutes les avantages d'un vélo All-mountain.

## PROFIL DE L'UTILISATEUR

L'aventurier qui veut sans cesse aller voir ce qu'il y a derrière, et qui a besoin d'un vélo qui grimpe aussi bien qu'il descend.

### 4 GÉOMÉTRIE AJUSTABLE

Le fait de placer l'amortisseur DYAD en mode Elevate a pour effet de réduire la compression, ce qui élève le boîtier de pédalier et referme l'angle du tube de direction, pour un contrôle plus nerveux et efficace. En mode Flow, le boîtier de pédalier est abaissé, ce qui se traduit par une stabilité accrue.

### 5 SUPERMAX

La rigidité et la précision de la Supermax dépasse la concurrence dans la catégorie des 140mm. Le réglage de l'amortisseur offre le meilleur compromis entre la performance XC et la souplesse All-Mountain.

### 6 ROUES 27.5"

La taille de roue légèrement plus grande réunit le meilleur des deux mondes, pour des accélérations plus rapides, un comportement plus vif et une meilleure absorption du terrain.

### 7 ZERO PIVOT

Le Trigger carbon utilise notre technologie de flexion Zero Pivot au niveau des bases, avec une amélioration drastique du poids et une rigidité latérale et en torsion améliorée par rapport à une conception classique.

### 8 SYSTÈME ECS-TC

Les axes traversants surdimensionnés de 15 mm fixés de chaque côté de la biellette et du bras oscillant éliminent la flexion et offrent une rigidité centrale inégalée pour un contrôle parfait.

## TAILLES

S, M, L, XL

C22116M

## TRIGGER CARBON 1



☞ Berzerker Green w/ Jet Black, Gloss - GRN

|                           |  |                          |   |
|---------------------------|--|--------------------------|---|
| △ <b>FRAME</b>            | Trigger 27.5, 140/85mm, BallisTec Hi-MOD Carbon, PF30, ISCG03, 1.5 Si headtube                                 | ☞ <b>REAR DERAILLEUR</b> | SRAM XX1  |
| ↑ <b>FORK</b>             | SuperMax Carbon 2.0, 140mm, PBR Isolated Damper Technology with Enduro+ tune and updated controls, 50mm offset | ⊕ <b>SHIFTERS</b>        | SRAM X01, 11-speed  |
| ☞ <b>REAR SHOCK</b>       | Fox DYAD RT2, Dual Travel/Dual Geometry 140/85mm adj. travel   | — <b>HANDLEBAR</b>       | Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 760x15mm |
| ○ <b>RIMS</b>             | WTB Ci24 Carbon, TCS Tubeless Ready, 27.5  | ☞ <b>GRIPS</b>           | Cannondale Dual Locking Grips   |
| ↔ <b>HUBS</b>             | Lefty 60 front, Formula DC3911 - 39-point engagement rear  | ☞ <b>STEM</b>            | Cannondale C1, 1.5", 31.8, 5 deg.   |
| ✱ <b>SPOKES</b>           | DT Swiss Competition   | ☞ <b>HEADSET</b>         | Cannondale HeadShok Si  |
| ∞ <b>TIRES</b>            | Schwalbe Nobby Nic Performance, 27.5 x2.35, Snakeskin, Tubeless Ready, Folding                                 | ☞ <b>BRAKES</b>          | SRAM Guide RSC w/ metallic pads, Centerline rotors 180/180mm                |
| ☞ <b>PEDALS</b>           | N/A  | ☞ <b>BRAKE LEVERS</b>    | SRAM Guide RSC w/ contact point adjust. cartridge bearing, reach adjust     |
| ☞ <b>CRANK</b>            | Cannondale HollowGram Si, hollow forged, BB30, 30t SpiderRing  | ☞ <b>SADDLE</b>          | Prologo Nago Evo X8 w/ Tirox Rails  |
| ☞ <b>CRANK OPTION</b>     | N/A  | ↑ <b>SEATPOST</b>        | RockShox Reverb Stealth dropper, 31.6, 125mm (S,M) 150mm (L,X) travel       |
| ☞ <b>BOTTOM BRACKET</b>   | Cannondale Alloy PressFit30  | ☞ <b>SIZES</b>           | S,M,L,XL  |
| ○ <b>CHAIN</b>            | SRAM PCX1, 11-speed  | ☞ <b>COLOR 1</b>         | Berzerker Green w/ Jet Black, Gloss - GRN                                   |
| ☞ <b>REAR COGS</b>        | SRAM XG-1180, 10-42, 11-speed  | ☞ <b>COLOR 2</b>         | N/A   |
| ☞ <b>FRONT DERAILLEUR</b> | N/A  | ...! <b>EXTRAS</b>       | High pressure shock pump  |

C22206M

## TRIGGER CARBON 2



Primer Grey w/Charcoal Grey and Acid Orange, Gloss - GRY

|                           |   |
|---------------------------|---|
| △ <b>FRAME</b>            | Trigger 27.5, 140/85mm, BallisTec Hi-MOD Carbon, PF30, ISCG03, 1.5 Si headtube                          |
| ↑ <b>FORK</b>             | SuperMax 2.0, 140mm, PBR Isolated Damper Technology with Enduro+ tune and updated controls, 50mm offset |
| ▢ <b>REAR SHOCK</b>       | Fox DYAD RT2, Dual Travel/Dual Geometry 140/85mm adj. travel  |
| ○ <b>RIMS</b>             | WTB Frequency Team i23, TCS Tubeless Ready, 27.5"   |
| ⇄ <b>HUBS</b>             | Lefty 60 front, Formula DC300 142x12mm rear   |
| ✳ <b>SPOKES</b>           | DT Swiss Competition  |
| ∞ <b>TIRES</b>            | Schwalbe Nobby Nic Performance, 27.5 x2.35, Snakeskin, Tubeless Ready, Folding                          |
| ⊞ <b>PEDALS</b>           | N/A   |
| ⊙ <b>CRANK</b>            | Cannondale HollowGram Si, hollow forged, BB30, 36/22 CNC Rings  |
| ⊙ <b>CRANK OPTION</b>     | N/A   |
| ⇄ <b>BOTTOM BRACKET</b>   | Cannondale Alloy PressFit30   |
| ○ <b>CHAIN</b>            | Shimano HG600, 11-speed   |
| ⊞ <b>REAR COGS</b>        | Shimano XT M8000, 11-speed  |
| ⊞ <b>FRONT DERAILLEUR</b> | Shimano XT M8000  |
| ⊞ <b>REAR DERAILLEUR</b>  | Shimano XT M8000, Shadow Plus   |
| ⊞ <b>SHIFTERS</b>         | Shimano XT M8000, 11-speed  |
| — <b>HANDLEBAR</b>        | Cannondale C1 riser, carbon, 4 degree upsweep, 9 degree backsweep, 760x15mm                             |
| ⊞ <b>GRIPS</b>            | Cannondale Dual Locking Grips   |
| ⊞ <b>STEM</b>             | Cannondale Ct, 1.5", 31.8, 5 deg.   |
| ⊞ <b>HEADSET</b>          | Cannondale HeadShak Si  |
| ⊞ <b>BRAKES</b>           | Shimano XT M8000 w/ fin metallic pad, 180/180mm   |
| ⊞ <b>BRAKE LEVERS</b>     | Shimano XT M8000 w/Servo Wave. Reach Adjust   |
| ⊞ <b>SADDLE</b>           | WTB Silverado   |
| ⊞ <b>SEATPOST</b>         | KS LEV Integra dropper, internal routing, 31.6, 125mm (S,M) 150mm (L,X) travel                          |
| ⊞ <b>SIZES</b>            | S,M,L,XL  |
| ⊞ <b>COLOR 1</b>          | Primer Grey w/Charcoal Grey and Acid Orange, Gloss - GRY  |
| ⊞ <b>COLOR 2</b>          | N/A   |
| ...! <b>EXTRAS</b>        | High pressure shock pump  |

C22306M

## TRIGGER 3



🏆 Acid Red w/ Fine Silver, Matte - RED

|                           |  |                          |   |
|---------------------------|--|--------------------------|---|
| 🏆 <b>FRAME</b>            | Trigger 27.5, 140/85mm, SmartFormed Alloy, BB30, 1SCG03, 1.5 Si headtube                         | 🔧 <b>REAR DERAILLEUR</b> | Shimano XT M786, Shadow Plus  |
| 🏆 <b>FORK</b>             | FOX 34 Float Performance Series FIT 4 Damper, Tapered Alloy Steerer, 15mm Thru Axle, 51mm offset | ⚙️ <b>SHIFTERS</b>       | Shimano SLX, i-Spec   |
| 🏆 <b>REAR SHOCK</b>       | Fox DYAD RT2, Dual Travel/Dual Geometry 140/85mm adj. travel                                     | 🏆 <b>HANDLEBAR</b>       | Cannondale C3 riser, 9 degree upsweep, 4 degree backsweep, 760x15mm |
| 🏆 <b>RIMS</b>             | WTB Frequency Race i23, TCS Tubeless Ready, 27.5"  | 🏆 <b>GRIPS</b>           | Cannondale Dual Locking Grips                                       |
| 🏆 <b>HUBS</b>             | Formula, DC-51 15mm thru axle front, DC360 142x12mm rear   | 🏆 <b>STEM</b>            | Cannondale C3, 3D Forged 1-1/8", 31.8, 55mm                         |
| 🏆 <b>SPOKES</b>           | DT Swiss Champion  | 🏆 <b>HEADSET</b>         | Tange Seiki 1.5", integrated  |
| 🏆 <b>TIRES</b>            | Schwalbe Nobby Nic Performance, 27x2.35, Folding   | 🏆 <b>BRAKES</b>          | Shimano SLX w/ Metal Pad, 180/180mm                                 |
| 🏆 <b>PEDALS</b>           | N/A  | 🏆 <b>BRAKE LEVERS</b>    | Shimano SLX   |
| 🏆 <b>CRANK</b>            | Cannondale Si, BB30, 36/22 CNC Rings   | 🏆 <b>SADDLE</b>          | WTB Silverado   |
| 🏆 <b>CRANK OPTION</b>     | N/A  | 🏆 <b>SEATPOST</b>        | Trans-X Dropper, 31.6mm, 120mm travel                               |
| 🏆 <b>BOTTOM BRACKET</b>   | Cannondale BB30  | 🏆 <b>SIZES</b>           | S, M, L, XL   |
| 🏆 <b>CHAIN</b>            | KMC X10, 10-speed  | 🏆 <b>COLOR 1</b>         | Acid Red w/ Fine Silver, Matte - RED                                |
| 🏆 <b>REAR COGS</b>        | Shimano HG-50, 11-36, 10-speed   | 🏆 <b>COLOR 2</b>         | N/A   |
| 🏆 <b>FRONT DERAILLEUR</b> | Shimano Deore, direct mount  | ...! <b>EXTRAS</b>       | High pressure shock pump  |

C22406M

## TRIGGER 4



☞ Jet Black w/Charcoal Grey, Fine Silver, Matte - BBQ

|                    |  |                   |   |
|--------------------|--|-------------------|---|
| ▣ FRAME            | Trigger 27.5, 140/85mm, SmartFormed Alloy, BB30, 15CG03, 1.5 Si headtube                         | ☞ REAR DERAILLEUR | Shimano XT M786, Shadow Plus  |
| ↑ FORK             | FOX 34 Float Performance Series FIT 4 Damper, Tapered Alloy Steerer, 15mm Thru Axle, 51mm offset | ⊕ SHIFTERS        | Shimano Deore, i-Spec   |
| ▣ REAR SHOCK       | Fox DYAD RT2, Dual Travel/Dual Geometry 140/85mm adj. travel                                     | ~ HANDLEBAR       | Cannondale C3 riser, 9 degree upsweep, 4 degree backsweep, 760x15mm |
| ○ RIMS             | WTB STP i23, TCS Tubeless Ready, 27.5"   | ☞ GRIPS           | Cannondale Dual Locking Grips                                       |
| ⇄ HUBS             | Formula, DC-S1 15mm thru axle front, DHT 142 142x12mm rear                                       | ☞ STEM            | Cannondale C3, 3D Forged 1-1/8", 31.8, 55mm                         |
| ✳ SPOKES           | DT Swiss Champion  | ☞ HEADSET         | Tange Seiki 1.5", integrated  |
| 🌀 TIRES            | Schwalbe Nobby Nic Performance, 27x2.35, Folding   | ☞ BRAKES          | Shimano Deore w/ Resin Pad, 180/180mm                               |
| ⊕ PEDALS           | N/A  | ☞ BRAKE LEVERS    | Shimano Deore   |
| ⊖ CRANK            | Shimano Deore Hollowtech II, 38x24   | ☞ SADDLE          | WTB Silverado   |
| ⊖ CRANK OPTION     | N/A  | ↑ SEATPOST        | Cannondale C3, 6061 alloy, 31.6x350mm (S, M) 400mm (L, X)           |
| ☞ BOTTOM BRACKET   | Shimano Deore w/ BB30 Adapter  | ☞ SIZES           | S, M, L, XL   |
| ○ CHAIN            | KMC X10, 10-speed  | ☞ COLOR 1         | Jet Black w/Charcoal Grey, Fine Silver, Matte - BBQ                 |
| ☞ REAR COGS        | Shimano HG-50, 11-36, 10-speed   | ☞ COLOR 2         | N/A   |
| ☞ FRONT DERAILLEUR | Shimano Deore, direct mount  | ...! EXTRAS       | High pressure shock pump  |

CM2399

# TRIGGER CARBON TEAM



Jet Black w/Berzerker Green, Cdale Yellow, Matte (01) - BBQ

|                  |  |                 |   |
|------------------|--|-----------------|---|
| FRAME            | Trigger 27.5, 140/85mm, BallisTec Hi-MOD Carbon, PF30, ISCG03, 1.5 Si headtube | REAR DERAILLEUR | SRAM XX1  |
| FORK             | SuperMax Carbon PBR 2.0 140 27.5, w/ Hybrid Needle Bearing Tech, 50mm offset   | SHIFTERS        | SRAM X01, 11 Speed  |
| REAR SHOCK       | Fox DYAD RT2, 140/85mm adj. travel, 2015 tune                                  | HANDLEBAR       | Cannondale C1 riser, carbon, 740x15mm                       |
| RIMS             | Mavic CrossMax SLR, 27.5, tubeless ready                                       | GRIPS           | Cannondale Dual Locking Grips                               |
| HUBS             | Mavic CrossMax SLR, Lefty front, 142x12 rear                                   | STEM            | Cannondale C1, 1.5", 31.8, 5 deg.                           |
| SPOKES           | Mavic CrossMax SLR 27.5  | HEADSET         | Cannondale HeadShok Si                                      |
| TIRES            | Schwalbe Racing Ralph SnakeSkin, 27.5x2.25", tubeless ready                    | BRAKES          | Magura MT6 w/ Storm SL rotors, 180/160mm                    |
| PEDALS           | N/A  | BRAKE LEVERS    | Magura MT6  |
| CRANK            | Cannondale HollowGram Si, BB30A, XX1 30T                                       | SADDLE          | WTB Volt Nicro SL   |
| CRANK OPTION     | N/A  | SEATPOST        | RockShox Reverb Stealth dropper, 31.6                       |
| BOTTOM BRACKET   | Cannondale Alloy PressFit30  | SIZES           | S, M, L, XL   |
| CHAIN            | SRAM XX1   | COLOR 1         | Jet Black w/Berzerker Green, Cdale Yellow, Matte (01) - BBQ |
| REAR COGS        | SRAM X01, 10-42, 11-speed  | COLOR 2         | N/A   |
| FRONT DERAILLEUR | N/A  | EXTRAS          | High pressure shock pump                                    |

CM2400

# TRIGGER CARBON 2



☞ Race Red w/Exposed Carbon, Jet Black, Gloss (01) - RED

|                           |  |                           |  |
|---------------------------|--|---------------------------|--|
| △ <b>FRAME</b>            | Trigger 27.5, 140/85mm, BallisTec Hi-MOD Carbon, PF30, ISCG03, 1.5 Si headtube | ⚙️ <b>REAR DERAILLEUR</b> | Shimano XT, Shadow Plus                                |
| ↑ <b>FORK</b>             | SuperMax PBR 2.0 140 27.5, w/ Hybrid Needle Bearing Tech, 50mm offset          | ⊕ <b>SHIFTERS</b>         | Shimano XT w/ 1-Spec                                   |
| ☞ <b>REAR SHOCK</b>       | Fox DYAD RT2, 140/85mm adj. travel, 2015 tune                                  | — <b>HANDLEBAR</b>        | Cannondale C1 riser, carbon, 740x15mm                  |
| ○ <b>RIMS</b>             | Mavic Crossroc 27.5 WTS, tubeless ready  | ☞ <b>GRIPS</b>            | Cannondale Dual Locking Grips                          |
| ⇄ <b>HUBS</b>             | Mavic Crossroc, Lefty front, 142x12mm rear                                     | ☞ <b>STEM</b>             | Cannondale C1, 1.5", 31.8, 5 deg.                      |
| ✳️ <b>SPOKES</b>          | Mavic Crossroc 27.5  | ⊙ <b>HEADSET</b>          | Cannondale HeadShok Si                                 |
| 🌀 <b>TIRES</b>            | Mavic Crossroc 27.5 WTS, 27.5x2.2", tubeless ready                             | ☞ <b>BRAKES</b>           | Shimano XT Trail, 180/160mm                            |
| ⊞ <b>PEDALS</b>           | N/A  | ☞ <b>BRAKE LEVERS</b>     | Shimano XT Trail                                       |
| ⊙ <b>CRANK</b>            | SRAM S1400 AM, PF30A   | ☞ <b>SADDLE</b>           | WTB Volt, CroMo  |
| ☞ <b>CRANK OPTION</b>     | N/A  | ↑ <b>SEATPOST</b>         | KS LEV Integra dropper, internal routing, 31.6         |
| ☞ <b>BOTTOM BRACKET</b>   | SRAM PF30  | 📏 <b>SIZES</b>            | S, M, L, XL  |
| ○ <b>CHAIN</b>            | KMC X10, 10-speed  | ☞ <b>COLOR 1</b>          | Race Red w/Exposed Carbon, Jet Black, Gloss (01) - RED |
| ☞ <b>REAR COGS</b>        | Shimano XT, 11-36, 10-speed  | ☞ <b>COLOR 2</b>          | N/A  |
| ☞ <b>FRONT DERAILLEUR</b> | SRAM X7, direct mount  | ☞ <b>EXTRAS</b>           | High pressure shock pump                               |



CM2401

## TRIGGER 3



☞ Jet Black w/Nearly Black, Berzerker Green, Gloss (01) - BLK

|                           |   |                           |   |
|---------------------------|---|---------------------------|---|
| △ <b>FRAME</b>            | Trigger 27.5, 140/85mm, SmartFormed Alloy, BB30, 15CG03, 1.5 Si headtube      | ⚙️ <b>REAR DERAILLEUR</b> | SRAM X9 Type 2 RBC  |
| 🏠 <b>FORK</b>             | Fox 32 Evolution Float CTD FIT 27.5, 140mm, 15QR thru axle, 1.5", 51mm offset | ⚙️ <b>SHIFTERS</b>        | SRAM X7   |
| 🛞 <b>REAR SHOCK</b>       | Fox DYAD RT2, 140/85mm adj. travel, 2015 tune                                 | — <b>HANDLEBAR</b>        | Cannondale C2 riser, 2014 double-butted alloy, 740x15mm     |
| 🔵 <b>RIMS</b>             | WTB Frequency Race i19 27.5 TCS, 32 hole, tubeless ready                      | 🖱️ <b>GRIPS</b>           | Cannondale Dual Locking Grips                               |
| 🔗 <b>HUBS</b>             | SRAM X9, 15mm thru axle front, 142x12mm rear                                  | 🛖 <b>STEM</b>             | Cannondale C3, 1.5", 31.8, 5 deg.                           |
| ⚙️ <b>SPOKES</b>          | DT Swiss Competition  | 🛖 <b>HEADSET</b>          | Tange Seiki 1.5", integrated                                |
| 🌀 <b>TIRES</b>            | WTB Wolverine TCS, 27.5x2.2", folding, tubeless ready                         | 🛖 <b>BRAKES</b>           | Magura MT4 w/ Storm SL rotors, 180/160mm                    |
| 🛞 <b>PEDALS</b>           | N/A   | 🖱️ <b>BRAKE LEVERS</b>    | Magura MT4 BAT  |
| 🔗 <b>CRANK</b>            | SRAM S1400 AM, BB30A, 36/22T  | 🛖 <b>SADDLE</b>           | WTB Silverado Comp  |
| 🔗 <b>CRANK OPTION</b>     | N/A   | 🛖 <b>SEATPOST</b>         | X-Fusion Hilo dropper, 31.6                                 |
| 🛞 <b>BOTTOM BRACKET</b>   | SRAM BB30   | 🛖 <b>SIZES</b>            | S, M, L, XL   |
| 🔗 <b>CHAIN</b>            | KMC X10, 10-speed   | 🛖 <b>COLOR 1</b>          | Jet Black w/Nearly Black, Berzerker Green, Gloss (01) - BLK |
| 🔗 <b>REAR COGS</b>        | SRAM PG-1030, 11-36, 10-speed   | 🛖 <b>COLOR 2</b>          | N/A   |
| 🛖 <b>FRONT DERAILLEUR</b> | SRAM X7, direct mount   | 🛖 <b>EXTRAS</b>           | High pressure shock pump                                    |

CM2402

## TRIGGER 4



Ultra Blue w/et Black, 40 Orange, Gloss (01) -BLU

|                           |   |                           |   |
|---------------------------|---|---------------------------|---|
| △ <b>FRAME</b>            | Trigger 27.5, 140/85mm, SmartFormed Alloy, BB30, 15CG03, 1.5 Si headtube      | ⚙️ <b>REAR DERAILLEUR</b> | Shimano SLX, Shadow Plus                                  |
| 👤 <b>FORK</b>             | Fox 32 Evolution Float CTD FIT 27.5, 140mm, 15QR thru axle, 1.5", 51mm offset | ⊕ <b>SHIFTERS</b>         | Shimano SLX w/ I-Spec                                     |
| 🛞 <b>REAR SHOCK</b>       | Fox DYAD RT2, 140/85mm adj. travel, 2015 tune                                 | — <b>HANDLEBAR</b>        | Cannondale C3 riser, 6061 double-buttet alloy, 740x18mm   |
| 🔴 <b>RIMS</b>             | WTB ST i23 27.5 TCS, 32 hole, tubeless ready                                  | 👉 <b>GRIPS</b>            | Cannondale Dual Locking Grips                             |
| 🔗 <b>HUBS</b>             | Formula, DC-51 15mm thru axle front, DHG 142x12mm rear                        | 🦿 <b>STEM</b>             | Cannondale C4, 1.5", 31.8, 7 deg.                         |
| ⚙️ <b>SPOKES</b>          | DT Swiss Champion   | 👤 <b>HEADSET</b>          | Tange Seiki 1.5", integrated                              |
| 🌀 <b>TIRES</b>            | WTB Wolverine TCS, 27.5x2.2", folding, tubeless ready                         | 🛞 <b>BRAKES</b>           | Shimano SLX, 180/160mm                                    |
| 👤 <b>PEDALS</b>           | N/A   | 👉 <b>BRAKE LEVERS</b>     | Shimano SLX   |
| 👤 <b>CRANK</b>            | Shimano Deore Hollowtech II, 40/30/22   | 🛞 <b>SADDLE</b>           | WTB Silverado Comp  |
| 👤 <b>CRANK OPTION</b>     | N/A   | 👤 <b>SEATPOST</b>         | Cannondale C3, 6061 alloy, 31.6x350mm (S, M) 400mm (L, X) |
| 🛞 <b>BOTTOM BRACKET</b>   | FSA Octalink w/ BB30 adapter  | 👤 <b>SIZES</b>            | S, M, L, XL   |
| 🔗 <b>CHAIN</b>            | KMC X10, 10-speed   | 👤 <b>COLOR 1</b>          | Ultra Blue w/et Black, 40 Orange, Gloss (01) -BLU         |
| 👤 <b>REAR COGS</b>        | Shimano Deore, 11-36, 10-speed  | 👤 <b>COLOR 2</b>          | N/A   |
| 👤 <b>FRONT DERAILLEUR</b> | Shimano Deore, direct mount   | 👤 <b>EXTRAS</b>           | High pressure shock pump                                  |